Brain Research, 501 (1989) 407–409
Elsevier

Author Index

Akiguchi, I., see Shigematsu, K., 215
Akil, H., see Herman, J.P., 235
Aldridge, J.W., see Sachdev, R.N.S., 295
Allin, R., Russell, V., Lamm, M. and Taljaard, J., Regional distribution of dopamine D_1 and D_2 receptors in the nucleus accumbens of the rat, 389
Altschuler, R.A., see Helfert, R.H., 269
Arneric, S.P., see Iadecola, C., 188

Baik-Han, E.J., see Oh, U.T., 90
Balthazart, J., Gahr, M. and Surlemont, C., Distribution of estrogen receptors in the brain of the Japanese quail: an immunocytochemical study, 205
Barker, J.L., see Zuddas, A., 11
Barnes Jr., E.M., see Hablitz, J.J., 332
Beach, T.G., Walker, R. and McGeer, E.G., Lamina-selective A68 immunoreactivity in primary visual cortex of Alzheimer's disease patients, 171
Biggio, G., see Sanna, E., 144
Blanks, J.C., Hinton, D.R., Sadun, A.A. and Miller, C.A., Retinal ganglion cell degeneration in Alzheimer's disease, 364
Bonneau, J.M. see Helfert, R.H., 269
Borchardt, R.T., see Scriba, G.K.E., 175
Bradford, H.F., see Croucher, M.J., 58
Braun, H.A., see Schäfer, K., 66
Bunting, T.A. and Scott, B.S., Aging and ethanol alter neuronal electric membrane properties, 105

Casey, K.L. and Morrow, T.J., Effect of medial bulboreticular and raphe nuclear lesions on the excitation and modulation of supraspinal nocifensive behaviors in the cat, 150
Chin, A.S., see Stanley, B.G., 32
Chung, J.M., see Oh, U.T., 90
Clement, M.E., see McCall, R.B., 73
Corsini, G.U., see Zuddas, A., 1
Corsini, G.U., see Zuddas, A., 11
Croucher, M.J. and Bradford, H.F., Kindling of full limbic seizures by repeated microinjections of excitatory amino acids into the rat amygdala, 58

Daval, J.-L., see Nakajima, T., 307
Day, R., see Herman, J.P., 235
Deng, Q. and Johanson, C.E., Stilbenes inhibit exchange of chloride between blood, choroid plexus and cerebrospinal fluid, 183
Dragunow, M. and Faull, R.L.M., Rolipram induces c-fos protein-like immunoreactivity in ependymal and glial-like cells in adult rat brain, 382
Drasner, K., see Fang, F.G., 116
Duffy, P., see Samathanam, G., 179
Duhaime, A.-C., see Ross, D.T., 129
Dunnett, S.B., Sirinathsinghji, D.J.S., Heavens, R., Rogers, D.C. and Keuhn, M.R., Monoamine deficiency in a transgenic (*Hprt*$^-$) mouse model of Lesch-Nyhan syndrome, 401

Fang, F.G., Haws, C.M., Drasner, K., Williamson, A. and Fields, H.L., Opioid peptides (DAGO-enkephalin, dynorphin A(1–13), BAM 22P) microinjected into the rat brainstem: comparison of their antinociceptive effect and their effects on neuronal firing in the rostral ventromedial medulla, 116
Faull, R.L.M., see Dragunow, M., 382
Fields, H.L., see Fang, F.G., 116
Fuchs, J.L., [^{125}I]α-Bungarotoxin binding marks primary sensory areas of developing rat neocortex, 223
Fujiwara, M., see Okada, M., 23

Gahr, M., see Balthazart, J., 205
Garris, D.R., Morphometric analysis of obesity (ob/ob)- and diabetes (db/db)-associated hypothalamic neuronal degeneration in C57BL/*KsJ* mice, 162
Ghetti, B., see Triarhou, L.C., 373
Gibson, M.J., see Silverman, R.C., 260
Gilman, S., see Sachdev, R.N.S., 295
Guido, W. and Salinger, W.L., 6-Hydroxydopamine treatment blocks the effects of chronic monocular paralysis in the cat's lateral geniculate nucleus, 397

Hablitz, J.J., Tehrani, M.H.J. and Barnes Jr., E.M., Chronic exposure of developing cortical neurons to GABA downregulates GABA/benzodiazepine receptors and GABA-gated chloride currents, 332
Harrington, M.E., see Meijer, J.H., 315
Harris, L.T., see McCall, R.B., 73
Hashimoto, K., see Makino, S., 84
Haws, C.M., see Fang, F.G., 116
Heavens, R., see Dunnett, S.B., 401
Helfert, R.H., Bonneau, J.M., Wenthold, R.J. and Altschuler, R.A., GABA and glycine immunoreactivity in the guinea pig superior olivary complex, 269
Henken, D.B. and Yoon, M.G., Optic nerve crush modulates proliferation of rod precursor cells in the goldfish retina, 247
Herman, J.P., Schäfer, M.K.-H., Sladek, C.D., Day, R., Young, E.A., Akil, H. and Watson, S.J., Chronic electroconvulsive shock treatment elicits up-regulation of CRF and AVP mRNA in select populations of neuroendocrine neurons, 235
Hinton, D.R., see Blanks, J.C., 364

Iadecola, C., Arneric, S.P. and Reis, D.J., Local and remote microvascular changes in excitotoxin-induced focal brain lesions, 188

Jahnke, M.T. and Struppler, A., Response of human muscle spindle afferents to abrupt load pertubations, 324
Johannessen, J.N., see Zuddas, A., 1
Johanson, C.E, see Deng, Q., 183

Kalaria, R.N., Characterization of [^{125}I]HEAT binding to α_1-receptors in human brain: assessment in aging and Alzheimer's disease, 287
Kalivas, P.W., see Samathanam, G., 179
Kameyama, M., see Shigematsu, K., 215

Kamo, H., see Shigematsu, K., 215
Kelley, M. and Kowall, N., Corticotropin-releasing factor immunoreactive neurons persist throughout the brain in Alzheimer's disease, 392
Keuhn, M.R., see Dunnett, S.B., 401
Kim, K.J., see Oh, U.T., 90
Kimura, H., see Shigematsu, K., 215
Kimura, J., see Shigematsu, K., 215
Kopin, I.J., see Zuddas, A., 1
Kopin, I.J., see Zuddas, A., 11
Kowall, N., see Kelley, M., 392

Lamm, M., see Allin, R., 389
Lanthier, D., see Stanley, B.G., 32
Leibowitz, S.F., see Stanley, B.G., 32
Löscher, W., Valproate enhances GABA turnover in the substantia nigra, 198

Makino, S., Hashimoto, K. and Ota, Z., Atrial natriuretic polypeptide attenuates central angiotensin II-induced catecholamine and ACTH secretion, 84
Mannen, H., see Sasaki, H., 339
Marangos, P.J., see Nakajima, T., 307
McCall, R.B., Clement, M.E. and Harris, L.T., Studies on the mechanism of the sympatholytic effect of 8-OH DPAT: lack of correlation between inhibition of serotonin neuronal firing and sympathetic activity, 73
McGeer, E.G., see Beach, T.G., 171
Meijer, J.H., Rusak, B. and Harrington, M.E., Photically responsive neurons in the hypothalamus of a diurnal ground squirrel, 315
Miller, C.A., see Blanks, J.C., 364
Mine, K., see Okada, M., 23
Morgan, P.F., see Nakajima, T., 307
Morrow, T.J., see Casey, K.L., 150
Mullen, D.A., see Zatz, M., 37
Mullen, D.A., see Zatz, M., 46
Murugaian, J., Sundaram, K. and Sapru, H., Cholinergic mechanisms in the ventrolateral medullary depressor area, 355

Nakajima, T., Daval, J.-L., Morgan, P.F., Post, R.M. and Marangos, P.J., Adenosinergic modulation of caffeine-induced c-fos mRNA expression in mouse brain, 307
Necker, R., see Schäfer, K., 66

Oertel, D., see Zhang, S., 194
Oh, U.T., Kim, K.J., Baik-Han, E.J. and Chung, J.M., Electrophysiological evidence for and increase in the number of ventral root afferent fibers after neonatal peripheral neurectomy in the rat, 90
Okada, M., Mine, K. and Fujiwara, M., Relationship of calcium and adenylate cyclase messenger systems in rat brain synaptosomes, 23
Ota, Z., see Makino, S., 84

Pepitoni, S., see Sanna, E., 144
Porzio di, U., see Zuddas, A., 1
Porzio di, U., see Zuddas, A., 11
Post, R.M., see Nakajima, T., 307

Reis, D.J., see Iadecola, C., 188
Rogers, D.C., see Dunnett, S.B., 401
Romijn, H.J., Preferential loss of GABAergic neurons in hypoxia-exposed neocortex slab cultures is attenuated by the NMDA receptor blocker D-2-amino-7-phosphonoheptanoate, 100
Ross, D.T. and Duhaime, A.-C., Degeneration of neurons in the thalamic reticular nucleus following transient ischemia due to raised intracranial pressure: excitotoxic degeneration mediated via non-NMDA receptors?, 129
Rusak, B., see Meijer, J.H., 315
Russell, V., see Allin, R., 389

Sachdev, R.N.S., Gilman, S. and Aldridge, J.W., Effects of excitotoxic striatal lesions on single unit activity in globus pallidus and entopeduncular nucleus of the cat, 295
Sadun, A.A., see Blanks, J.C., 364
Salinger, W.L., see Guido, W, 397
Samathanam, G., Duffy, P., Kalivas, P.W. and White, S.R., A comparison of 5-hydroxytryptophan effects on rat lumbar spinal cord serotonin release and monosynaptic response amplitude, 179
Sanna, E., Serra, M., Pepitoni, S. and Biggio, G., Dramatic increase in nigral *t*-[^{35}S]butylbicyclophosphorothionate binding sites elicited by the degeneration of the striato-nigral GABAergic pathway: reversal by diazepam, 144
Sapru, H., see Murugaian, J., 355
Sasaki, H., Sato, F. and Mannen, H., Morphological analysis of single astrocytes of the adult cat central nervous system visualized by HRP microinjection, 339
Sato, F., see Sasaki, H., 339
Schinelli, S., see Zuddas, A., 1
Schinelli, S., see Zuddas, A., 11
Schäfer, K., Necker, R. and Braun, H.A., Analysis of avian cold receptor function, 66
Schäfer, M.K.-H., see Herman, J.P., 235
Scott, B.S., see Bunting, T.A., 105
Scriba, G.K.E. and Borchardt, R.T., Metabolism of 1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine (MPTP) by bovine brain microvessel endothelial cells, 175
Serra, M., see Sanna, E., 144
Shigematsu, K., Kamo, H., Akiguchi, I., Kimura, J., Kameyama, M. and Kimura, H., Neovascularization in kainic acid-induced lesions of rat striatum. An immunohistochemical study with laminin, 215
Silverman, A.-J., see Silverman, R.C., 260
Silverman, R.C., Silverman, A.-J. and Gibson, M.J., Identification of gonadotropin releasing hormone (GnRH) neurons projecting to the median eminence from third ventricular preoptic area grafts in hypogonadal mice, 260
Sirinathsinghji, D.J.S., see Dunnett, S.B., 401
Sladek, C.D., see Herman, J.P., 235
Stanley, B.G., Lanthier, D., Chin, A.S. and Leibowitz, S.F., Suppression of neuropeptide Y-elicited eating by adrenalectomy or hypophysectomy: reversal with corticosterone, 32
Struppler, A., see Jahnke, M.T., 324
Sundaram, K., see Murugaian, J., 355
Surlemont, C., see Balthazart, J., 205

Taljaard, J., see Allin, R., 389
Tehrani, M.H.J., see Hablitz, J.J., 332
Triarhou, L.C. and Ghetti, B., The dendritic dopamine of the substantia nigra: phenotypic denominator of weaver gene action in hetero- and homozygosity, 373

Walker, R., see Beach, T.G., 171
Watson, S.J., see Herman, J.P., 235

Wenthold, R.J., see Helfert, R.H., 269
White, S.R., see Samathanam, G., 179
Wickesberg, R.E., see Zhang, S., 194
Williamson, A., see Fang, F.G., 116

Yoon, M.G., see Henken, D.B., 247
Young, E.A., see Herman, J.P., 235

Zatz, M. and Mullen, D.A., Ouabain (or salt solution lacking potassium) mimics the effects of dark pulses on the circadian pacemaker in cultured chick pineal cells, 37
Zatz, M. and Mullen, D.A., Photoendocrine transduction in cultured chick pineal cells. III. Ouabain (or dark) pulses can block, overcome, or alter the phase response of the melatonin rhythm to light pulses, 46
Zhang, S., Wickesberg, R.E. and Oertel, D., Jaundiced Gunn rats have increased synaptic delays in the ventral cochlear nucleus, 194
Zuddas, A., Corsini, G.U., Schinelli, S., Barker, J.L., Kopin, I.J. and Porzio di, U., Acetaldehyde directly enhances MPP+ neurotoxicity and delays its elimination from the striatum, 11
Zuddas, A., Corsini, G.U., Schinelli, S., Johannessen, J.N., Porzio di, U. and Kopin, I.J., MPTP treatment combined with ethanol or acetaldehyde selectively destroys dopaminergic neurons in mouse substantia nigra, 1